




PRODUCT CATALOG
PREMIUM CARGO SLIDES
LED LIGHTING
AIR CYLINDER MANAGEMENT
EQUIPMENT SECUREMENT

EFFECTIVE 2021







NEW ACCESS PRO LED COMPARTMENT LIGHTS

Available in white or other static color options — the all-new Access Pro delivers a neon-like experience that eliminates LED hotspots without losing light output — 400 lumens for every 18" of light. All the while, this efficient light, which is backed by a lifetime warranty, consumes 25% less energy than competing LED compartment lights.

| Output | | |
|------------|--------------------------|--|
| 400 lumen: | s for every 18" of light | |
| Warranty | VDC | |
| Lifetime | 12 | |

Other compartment light options PG 06

NEW CONFIGURABLE CARGO TRAY

Your department won't find a more versatile cargo tray than OnScene Solutions' all-new Configurable Tray with optional customizable tray separators, adjustable tie-downs and fold-down gates. Featuring a limited lifetime warranty, this corrosion-resistant anodized aluminum tray can be ordered to fit most any manufacturer cargo slide. Custom sizing is available!



FOLD-DOWN GATE(S)

The tray design incorporates optional front and rear fold-down gates to eliminate unnecessary heavy lifting over the tray's edge.

MOUNTING POINTS

This anodized aluminum tray features configurable mounting points in the tray sidewalls and floor slats.

OPTIONAL REFLECTIVE STRIPING

CARGO SLIDES

THE SLIDE GUIDE

OnScene Solutions has a slide for every position and solution that crews demand.

81 SERIES 3-RAIL SINGLE DIRECTION

This single-direction slide extends up to 100% of its full length for easy cargo access, while the three-rail design delivers extreme cargo carrying capacity.

| Extension | Capacity | Depth |
|-----------|-------------|---------|
| 100% | 1,000 lbs.* | 20-120" |

819 SERIES SLIDING STEP

This three-rail slide mounts under the truck body and supports 500 lbs. when extended. The greasable latch combats road debris. Shown with optional NFPA tread-plate decking.

| Extension | Capacity | Depth | |
|-----------|-----------|-------|--|
| 100% | 500 lbs.* | 16" | |

82 SERIES 2-RAIL SINGLE DIRECTION

Without sacrificing weight capacity, this two-rail slide features a low-profile design perfect for compartments with lower ceiling heights.

| Extension | Capacity | Depth | |
|-----------|------------|--------|--|
| 70% | 1,000 lbs. | 28-96" | |







THE X-30: LET US DO THE HEAVY LIFTING







83 SERIES / 83 900 SERIES TRANSVERSE

These dual-direction transverse slides are ideal for pass-through compartments, featuring up to 1,000 lbs. of capacity and 70% extension. The 83 900 features a 16" fixed width for tool boards.

| Extension | Capacity | Depth |
|-----------|------------|--------|
| 70% | 1,000 lbs. | 40-96" |

84 SERIES OUT-AND-DOWN For easy access to high storage areas, look

to the 84 Series' slide-out / tilt-down design that delivers a 30-degree access angle and up to 250 lbs. of capacity.

| Extension | Capacity | Depth | |
|-----------|-----------|---------|--|
| 100% | 250 lbs.* | 13"-60" | |

85 SERIES

TOOL BOARD

A clone of the 81 Series but in a narrow 11.375" design, the 85 Series accommodates tall, slim compartments, as well as vertical tool boards.

| Capacity | Depth |
|------------|---------|
| 1,000 lbs. | 16-120" |
| | |

X-30 CARGO LIFT SYSTEM

Featuring a 500-lb. capacity and 30-36" of downward travel, the X-30 cargo lift system lowers heavy equipment with the push of a button, positioning gear at the ideal height for better ergonomics.

| tension | Capacity | Depth | |
|---------|----------|--------|--|
| 0% | 500 lbs. | Varies | |




86 SERIES NON-ANODIZED

This welded, NON-anodized aluminum slide provides an economical cargo system, featuring 100% extension. The ultra-low profile design (at 2.75") is perfect for lower compartments.

| Capacity | Depth | |
|----------|----------------|--|
| 600 lbs. | 16-30" | |
| | 5:00 (0-00100K | |

* Check technical data for de-rated lengths/widths.





The versatile Night Axe[™] and Access LED lighting systems are adaptable to any response vehicle and mounting location. Featuring an easy-to-install, waterproof design, these systems are rated for 100,000 hours of service.



LED LIGHT COLOR OPTIONS:

ACCESS PRO COLOR OPTIONS

ACCESS COLOR OPTIONS:

STAGNANT WHITE, BLUE OR GREEN

COLOR-CHANGING

WHITE >>> BLUE

WHITE >>> GREEN



ALSO AVAILABLE IN STAGNANT WHITE, BLUE, GREEN OR RED OPTION

LED LIGHTS + BEZELS

ACCESS PRO COMPARTMENT LIGHTING

Available in static white, blue or green, the Access Pro delivers a neon-like experience that eliminates LED hotspots without losing light output. Plus, this efficient light consumes 25% less energy than competing LED compartment lights.



| Output | Warranty | VDC |
|-----------------------------------|----------|-----|
| 400 lumens for every 18" of light | Lifetime | 12 |

Mounting hardware included

ACCESS COMPARTMENT LIGHTING

Available in stagnant white, blue, green or red variation or OnScene's color-changing white-red, white-blue or white-green options, the Access compartment lighting system delivers an abundance of luminous output for extreme lighting situations for tight budgets.



| Output | Warranty | VDC |
|-----------------------------------|----------|----------|
| 400 lumens for every 18" of light | 5 year | 12 or 24 |

Mounting hardware included

NIGHT AXE™ COMPARTMENT LIGHTING

The industry's only linear tube lighting system to be UL/ULC certified, OnScene Solutions' premium compartment light, the Night Axe[™], features PWM technology to reduce amperage draw and heat, ensuring a 100,000-hour lifespan.



| Output | Warranty | VDC |
|-----------------------------------|----------|---------------------|
| 200 lumens for every 18" of light | 10 year | 9-32 (auto sensing) |

Mounting hardware included





IN-CAB LIGHTING

These red-white capable lights pull extra duty thanks to remote switching ability, a park brake interface and timed dome feature. Use as your dome, map and cab light! These low-profile lights can be surface mounted without cutting interior panels.

Output

Dual intensity
High-low standard

Warranty VDC

5 year 9-24 (auto sensing)

LIGHTING BEZELS

These lighting bezels provide attractive yet durable housings for OnScene's LED lighting. The waterproof design can mount to most any flat surface. Choose your finish in either walkway or under-cabinet angle:

- Anodized aluminum
- Polished cast aluminum
- Ball burnished cast aluminum



Cast-aluminum: 9" or 18" lengths

AIR CYLINDER MANAGEMENT

WHEN EVERY SECOND COUNTS ...

Turn to the SafeTSystem,[™] an air cylinder management system that allows a single firefighter to carry four compressed cylinders at one time for efficient transport.



Holder Carrier

The T handle locks the cylinders into the holder carrier, as well as the truck compartment, mobile cart or station rack, providing safe, secured storage.



Compartment Base Secures holder carriers in truck.

| Holder Carrier | | Base (for 2 Carriers) | | Base (for 3 Carriers) | | Bottle Size |
|----------------|-------|-----------------------|--------|-----------------------|--------|-------------------|
| Minnie | HC-MN | _ | | _ | | Oxygen D cylinder |
| Small | HC-SM | Small | CB2-SM | Small | CB3-SM | 4500psi 30 min |
| Medium | HC-MD | Medium | CB2-MD | Medium | CB3-MD | 4500psi 45 min |
| Large | HC-LG | Large | CB2-LG | Large | CB3-LG | 2216psi 30 min |
| XLarge | HC-XL | XLarge | CB2-XL | XLarge | CB3-XL | 4500psi 60 min |



TRANSPORT

HAND CARTS



Efficiency starts here. Securely transport multiple carriers from the compartment base to the utility transport box, the mobile station rack or the fire scene rehab with a folding or non-folding hand cart.

| Rack | Folding | Non-Folding | Bottle Size |
|--------|--------------|-------------|----------------|
| Small | | SHC-SM | 4500psi 30 min |
| Medium | FTA 19E 1AL | SHC-MD | 4500psi 45 min |
| Large | I IA ISL IAL | SHC-LG | 2216psi 30 min |
| XLarge | | SHC-XL | 4500psi 60 min |

UTILITY TRANSPORT BOX

Carry multiple SafeTSystem™ holder carriers at one time. Choose from a two-, three- or four-carrier-wide Utility Transport Box. Meanwhile, the 6-carrier-wide option is ideal for multi-station department with a single-compressor station. Load up this Utility Transport Box in the back of a pickup for ultimate efficiency.



| | 2 Carriers Wide | 3 Carriers Wide | 4 Carriers Wide | 6 Carriers Wide | Bottle Size |
|--------|-----------------|-----------------|-----------------|-----------------|----------------|
| Small | UTB2-SM | UTB3-SM | UTB4-SM | UTB-RTT-SM | 4500psi 30 min |
| Medium | UTB2-MD | UTB3-MD | UTB4-MD | UTB-RTT-MD | 4500psi 45 min |
| Large | UTB2-LG | UTB3-LG | UTB4-LG | UTB-RTT-LG | 2216psi 30 min |
| XLarge | UTB2-XL | UTB3-XL | UTB4-XL | UTB-RTT-XL | 4500psi 60 min |

STORAGE

MOBILE STATION RACK

The SafeTSystem[™] Mobile Station Rack provides a more organized and secure staging area and station refill site. Available with removable top tier for station-to-station transport.



Removable Top Tier (6 Carriers Wide x 1 Tier)

| Rack | | Bottle Size | |
|--------|------------|----------------|--|
| Small | SRM-RTT-SM | 4500psi 30 min | |
| Medium | SRM-RTT-MD | 4500psi 45 min | |
| Large | SRM-RTT-LG | 2216psi 30 min | |
| XLarge | SRM-RTT-XL | 4500psi 60 min | |

Fixed Top Tier (6 Carriers Wide x 2 Tiers)

| Rack | | Bottle Size |
|--------|---------|----------------|
| Small | SRMF-SM | 4500psi 30 min |
| Medium | SRMF-MD | 4500psi 45 min |
| Large | SRMF-LG | 2216psi 30 min |
| XLarge | SRMF-XL | 4500psi 60 min |

BUILT TO SECURE YOUR EQUIPMENT



The market's only three-point system

HELMET MOUNT

An innovative solution that meets NFPA 1901 helmet containment requirements — OnScene's patented Talon helmet mount. With multiple adjustment points, the Talon can be configured to fit nearly any helmet with a brim, including EU-style helmets.

| У | Warrant | Construction |
|---|----------|----------------------|
| | Lifetime | Anodized aluminum |
| / | warranty | with stainless-steel |
| | | hardware |
| | warrant | |




Orange reflective tab for quick release

CARGO STRAPS

Featuring a quick-release buckle or a Velcro strap with orange reflective tab, OnScene's cargo straps are a favorite among on-the-go crews. These nylon straps are virtually weather proof and chemical resistant.* Each Velcro strap comes complete with mounting hardware.

| Construction | Warranty |
|---------------------|----------|
| Nylon webbing | Limited |
| strap (resistant to | 2-year |
| most chemicals) | warranty |



Rubber mounted to prevent unit damage

RUB RAIL

Eliminate the tedious task of manufacturing rails with these pre-manufactured rub rails, featuring a recessed design to protect optional DOT reflective tape or marker lights. Optional waterproof lights attach to the rail's rear side, directing ground lighting to the operator's feet.

| Warranty |
|----------|
| Limited |
| lifetime |
| warranty |
| |



Available in different reel configurations

REEL EXTENSION

Often, Hannay hose or cord reels are mounted too far in the compartment to accommodate reeled-in spools, making access difficult. This reel extension positions the end of the hose or cord closer to the door opening, eliminating damage to equipment and door seals.

| Construction | Warranty |
|---------------|----------|
| Powder-coated | Limited |
| aluminum | lifetime |
| | warranty |
| | |



Grooved channels for moist environments

HOSEBED SLATS

Lightweight yet durable, these aluminum hosebed slats can be ordered in lengths of up to 146" or can be custom cut. The slats feature channels that allow hose moisture to escape easily, while the grooved channels also provide a slip-resistant walking surface for crews.

| Construction | Warranty |
|---------------------|----------|
| Cast aluminum | Limited |
| slats in lengths of | warranty |
| 146" or less | |

MULTI-USE



Handle can be angled for different uses

WELLZ TOOL

You won't find a more versatile personal carry tool than the Wellz multi-function tool. This forcible entry tool, which fits into a responder's pocket, can:

- Breach doors
- Block door hinges
- Shut off gas meters
- Open fire hydrants

| Construction | Warranty |
|--------------------|------------|
| High-strength 7075 | Limited |
| anodized aluminum; | structural |
| teflon coated | warranty |















ONSCENE SOLUTIONS

OnSceneSolutions.com 877-567-4712 info@onscenesolutions.com







HEAVY-DUTY SLIDES



ADJUSTABLE TRAYS



LIGHTING SOLUTIONS



EQUIPMENT SECUREMENT

See your sales representative for further information and prices. All information in this catalog and on www.OnSceneSolutions.com is the latest available at the time of publication approval. OnScene Solutions reserves the right to make changes and to discontinue products without notice or obligation. Photography may show optional equipment. Printed in the USA. 2K 0721 ©2021 OnScene Solutions